



# STAR BRAND®

## GYPSUM BOARD

# THE IMAGE OF QUALITY



ISO 9001:2015



ISO 14001:2015



OSHAS 18001:2007

Gypsum board is one of the most popular wall and ceiling (interior lining) system used in both residential and commercial construction. This material has become widely accepted due to quick installation, wet-free condition and clean - up works.

**PT SIAM-INDO GYPSUM INDUSTRY** is a joint venture of **SCG Thailand** and **Wings Group Indonesia** to manufacture **STAR BRAND®** gypsum boards and gypsum plasters.

**STAR BRAND®** gypsum board is produced with a combination of modern machinery from Europe under the strict supervision of highly experienced engineers and chemist.

### GYPSUM BOARD EDGE TYPES :

Square edge (S.E)

Tapered edge (T.E)



### GYPSUM BOARD DIMENSION :

	Imperial Sizes	Metric Sizes
Thickness	3/8", 1/2", 5/8"	9, 12, 15 mm
Width x length	4' x 8'	1200x2400 mm

### CEILING TILES DIMENSION :

Thickness*	9 mm	9 mm
Width x length*	2'x2'	600x600 mm
	2'x4'	600x1200 mm

\* The numbers indicate to Modular size from axis to axis

Product Quality Conform to :



British Standards Institution BS 476; BS 1230; Bs 2750



American Society for Testing and Materials ASTM C 36; C 630; E 119 ; C 1396

# GYPSUM BOARD

## STANDARD TYPE

**STAR BRAND®** gypsum board Standard Type, has some special features as fire resistant, heat insulation, sound proof, strong, easy to install and economical. Standard Type is available in Square Edge and Tapered Edge.

Strong



Light



Excellent result



Efficient



Durable



Environmentally friendly



## FIRE RESISTANT

**STAR BRAND®** gypsum board Fire Resistant Type is specially manufactured glass fiber reinforced mineral core for achieving fire ratings which increase fire protection quality. This type is used for ceiling and walls in high rise construction requiring the fire - ratings and especially safe rooms lift shafts and fire exit stair walls. Fire Resistant type only available in Tapered Edge



Fire Protection



Efficient



Durable



Environmentally friendly



# GYPSUM BOARD

## MOISTURE RESISTANT

**STAR BRAND®** gypsum board Moisture Resistant Type, specially processed plasterboard with the silicone added core and special liner board to withstand the effect of moisture and high humidity. This type is used for ceiling and walls in high moisture areas including toilets, laundries, kitchens, garages, verandas, etc. Moisture Resistant type is available in Square Edge and Tapered Edge.



Moisture Resistant



Efficient



Durable



Environmentally friendly



## ALUMINIUM FOIL LAMINATED

**STAR BRAND®** gypsum board Aluminium Foil Type with aluminium foil bonded to the backside of Standard Type gypsum board which provides 95% reflection of thermal radiation. This type is used for ceiling and walls requiring special thermal reflection including direct sunlight affected areas such as lofts and wide side walls. Aluminium Foil Laminated type is available in Square Edge and Tapered Edge

Thermal radiation resistant



Excellent result



Durable



Environmentally friendly



# CEILING TILES

## PERFORATED TYPE

This type is developed from Standard Type board, painted in white and decorated with special designs and patterns.



PINHOLE



FISSURED

## PVC LAMINATED TYPE

This type is developed from Standard Type board laminated with a fine textured vinyl surface. Superior interior decoration material which provides modern stylish beauty together with mould growth & colour fading resistancy. The standard colour is porcelain white. This type has alternative back covers with aluminium foil.



SHADES



VISTANA



TILES



AL- ISLAM



PALAZO



ELEFOIL



CONDADO



ALUMINIUM FOIL

# GYPSUM PLASTER



## STAR BRAND® JOINT CORNICE COMPOUND 2 IN 1

It has double function as adhesive and jointing compound. It can be used for installing cornice and for filling joints, concealing screws and nail heads and complete line of reinforcing tape to properly finish wallboard joints. It is supplied in powder form, packed in 20 kg/bag



Whiter



Smoother



Easier



Consistent

## STAR BRAND® CASTING PLASTER

A basic casting known as beta type. Used for general - purpose modeling, interior, decorative, ceiling and cornices. It is supplied in powder form, packed in 20 kg/bag.



Whiter




Smoother




Stronger

## INSTALLATION METHOD



WALL PARTITION



CONCEALED CEILING



PT. SIAM-INDO GYPSUM INDUSTRY  
Jl. Inspeksi Kalimalang Km.2 Kp. Cikedokan  
Cibitung, Bekasi 17520, Indonesia  
T : (+62) 21-88320028  
F : (+62) 21-88320036  
Email : [gypsum@siam-indo.com](mailto:gypsum@siam-indo.com)